পরীক্ষা নিয়ন্ত্রকের অফিস ঢাকা বিশ্বিবিদ্যালয়

ঢাকা -১০০০ ,বাংলাদেশ

ফোন:

(অফিস) ৮৬১৩২৮০

৯৬৬১৯০০-৫৯/৪০৭৫

(বাসা) ৮৬১৩৩৮১

ফ্যক্স: ৮৮০-২-৯৬৬৭২২২



OFFICE OF THE CONTROLLER OF EXAMINATIONS

UNIVERSITY OF DHAKA DHAKA-1000, BANGLADESH.

Phone: (Off.) 8613280

9661900-59/4075

(Res.) 8613381

Fax: 880-2-9667222

E-mail:examcontroller@du.ac.bd

PURCHASE ORDER FOR SUPPLY OF GOODS

(পরীক্ষা নিয়ন্ত্রকের অফিসের টেবুলেশন মুদ্রণ শাখায় (৩৩০ নং কক্ষে) মুদ্রণ কাজে ব্যবহারের জন্য উন্মুক্ত দরপত্র পদ্বতি (OTM) পদ্ধতিতে ৪৪" (ইঞ্চি) ০২ (দুই) টি প্লটার মেশিন এবং ৭২টি (৬টি করে ১২ সেট) কার্টিজ ক্রয় সরবরাহ কাজ)

Invitation For Tender No: 330 (02)

Dated: 07/06/2023

To,

Hazi Traders

Gause-Pak-Bipani Bitan Bhaban, Suite # 129, 28/G/1

Toyenbee Circular Road, Fakirapul,

Motijheel C/A, Dhaka-1000.

Delivery Date:

Order Value: Contarct Price of the estimated amount of TK 23,64,400/- (Twenty Three lac Sixty Four thousand Four Hundred) Taka Only.

Delivery: As per Terms and Conditions

The Purchaser has accepted your Quotation dated 30/05/2023 for the supply of Goods and related services and requests that you supply the Goods and related services within the delivery date stated above, in the quantities and units in conformity with the Technical Specifications under the Terms and Conditions as annexed. The supplier shall have to complete the delivery in all respects within 14 (Fourteen) days of issuing the Purchase Order in conformity with the Terms and Conditions.

Yours Faithfully

mm - ti .-Controller of Examinations University of Dhaka

0 7 Jun 2023

Attached:

i) Certified Copy of BOQ

ii) Certified Copy of Terms and Conditions

iii) Certified Copy of Specification

মেমো নং-৯১-৯৪/টেবুলেশন/প:নি:

তারিখ: ০৭/০৬/২০২৩

Copy forwarded for information to:

1. Director of Accounts, University of Dhaka.

2. Chief Engineer, University of Dhaka.

3. Principle Store Officer, Treasurer Office, University of Dhaka.

4. Director, ICT Cell, University of Dhaka.

knum . 41, _ 95 Controller of Examinations University of Dhaka

0 7 JUN 2023